



**SISCO
RESEARCH
LABORATORIES
PVT. LTD.**

www.srlchem.com

Certificate of Analysis

Product	39520 - Folin & Ciocalteus Phenol (FCP) Reagent AR
Batch No	8996591
Analysis Date	22-Jul-2023
Date of Manufacture	July 2023
Expiry Date/Re-Test Date	July 2028

Test Parameters	Standards	Actual Results
Appearance (Clarity)	Clear	Clear
Appearance (Colour)	Golden yellow	Golden yellow
Appearance (Form)	Liquid	Liquid
Solubility (Turbidity) 10% aq. solution	Clear	Clear
Solubility (Colour) 10% aq. solution	Yellow	Yellow
pH of solution @ 20°C	min .0.5	0.52
Density (g/ml) @ 20°C	min .1.20 g/ml	1.235 g/ml
Normality	~ 2.0 N	2.1 N
Sensitivity to proteins	Passes test	Passes

FRM/82/11/4/39520 Rev No. 3 Date 26/07/2023

Prepared by Dnyaneshwar

In compliance with the standard specifications of SRL

Plant Site 2 : H-4, MIDC, Talaja – 410 208, Maharashtra, India

608-B, Satellite Gazebo, Andheri Ghatkopar Link Road,
Chakala, Andheri (E), Mumbai - 400 099. India. ☎ +91-22-4268 5800

1/1

[an ISO 9001-2015, 17025:2017, CE, GMP Certified Company](#)

This COA has been generated electronically and it is valid without signature.